




...connecting to the aftermarket

CTUBM01 BMW INFODAPTER



INSTRUCTION MANUAL

www.connects2.com

Designed and
Engineered
in the UK. 

ABOUT

The Connects2 Infodapter for BMW vehicles allows vehicle information to be displayed on any aftermarket head unit with rear camera input. Extensive vehicle settings can also be adjusted from the steering wheel controls, such as tyre pressure monitor and oil level. The Infodapter also allows the use of the steering wheel controls with almost every steering wheel control compatible head unit on the market.

VEHICLE APPLICATIONS

BMW

Mini (F56) 2014>

DIP SWITCH SETTINGS

See Fig 1.

Up = Off, Down = On

1: On = Pioneer head units. Off = All other head units

2: Setting for reverse camera. On = PAL, Off = NTSC. The default setting is Off (NTSC).

3: Resets the display settings back to default. If the display settings have been manipulated in a way that it is no longer possible to make adjustments, change the DIP switch #3 from Off to On and back. This will reset the screen settings to the factory defaults. During this procedure the screen background will change to red. While the background is red, no settings can be made.

4: Not applicable





Fig 1.


Interface Connections

Fig 2.




Steering Wheel Controls

- A** Speech Button
(Activates Speech or Mute - Radio Dependant)
- B** Track Up
- C** Track Down
- D** Volume Up
- E** Volume Down
- F** Pick Up (Short Press)
Hang Up (Long Press)
- G** OK




Configuration Menu


To access the menu, **push and hold the OK button** for 2 seconds. This will enable the configuration menu. To navigate through the menu options use the **Track Up/ Track Down buttons**. To select a menu option, push the **OK button once**. To exit the menu, **push and hold the OK button** for 2 seconds.



- **Vehicle Settings**
Vehicle settings can be adjusted via the menu. All vehicle setup options that were available with the original head unit, are now available through the aftermarket head unit. See the vehicle handbook for more information regarding these features.




- **Infodapter Settings**
 - **Screen Size/Position** - This option allows the user to setup the Infodapter display screen to the exact size of the aftermarket head unit being fitted. Make sure all 4 corner markers are touching the corners of the aftermarket head unit display.



Configuration Menu...continued

- o Picture Settings - Adjust Brightness, contrast and colour saturation.




- o Preferences -

Camera Connected - Select Yes if an optional aftermarket camera is connected.

Park Brake Source - Set to Speed, Brake or Always On.

Restore factory settings - Reverts all Infodapter settings to factory defaults. (This does not restore vehicle settings)



NOTES

NOTES

Legal Information

Please consult the relevant road traffic laws governing the country in which this product is being operated. No liability is accepted for material damage, loss or personal injury, directly or indirectly, from installation and operation of this product. This product should only be operated when safe to do so.